




New Yorker 6




71 1/8" 81/41 6' 261/2" 27 3/4 4" 35¾'

Drain Rough-In Measurements

Α	В	С	
31/8"	81/4"	51/8"	



Requires use of a wall-mounted or freestanding tub filler. Shown with Air Massage Package.





ELECTRICAL COMPONENTS & SPECIFICATIONS

Hydrotherapy Package	Components Included	110V GFCI
Air Massage	heated blower	1-15 amp
Air Massage Elite	heated blower, chromatherapy	1-15 amp

Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information

CSA Certified C/US; B45.5/IAPMO ANSI Z124.1 and ANSI 112.19.7 See the Installation & Operation Manual for more details.

MTI's Customer Service: Monday-Friday 8am-6pm EST 800-783-8827 or service@mtibaths.com

- Before discarding tub packaging, check for accessories that may be packaged inside.
 All product measurements are ±1/2".
 Specifications and configurations are subject to change without notice.
 Measurements herein supersede all others published prior to publication date below.

IMPORTANT ORDERING & INSTALLATION INFORMATION:

- · Before ordering or installing, please consider future access to equipment.
- · Comes equipped with an access panel on the drain side for installation of waste and overflow.
- Air baths require job site preparations for remote mounting the blower.
- Hydrotherapy equipment may ship loose for remote installation depending on tub model. See package content on the following page for details.
- MTI will eliminate the access panel upon request. Installation will be more difficult.
- Faucet valves cannot be installed on this tub model.
- Radiance placed on floor locations will affect placement of air jets.
- All tubs are compliant with ASTM C 1028-07 coefficient of friction. DoloMatte meets ANSI A137.1/A326.3 coefficient of friction and AS HB198:2014 slip tests.

• Airbath blower ships loose for remote installation on site.

• See the Installation & Operation Manual for more details.

New Yorker 6

MODEL 112 71.875" x 36" x 23.25"

Hydrotherapy	Package Contents	Acrylic CXL®		DoloMatte®	
Packages	rackage contents	Part #	MSRP	Part #	MSRP
Soaker	Soaking bath - no jets; includes a pre-leveled foam base.	S112	\$5,790	S112DM	\$6,510
Air Massage	20 air jets, heated air blower, pre-leveled foam base. Blower, control boxes and check valve must be remote located.	AST112	\$9,075	AST112DM	\$9,795

RECOMMENDED SENSORY THERAPIES

Thermaltherapy

(RAD100) \$1,595 Radiance®

2 heated zones included

O	ptions	Must be	ordered	at time o	f purchase
---	--------	---------	---------	-----------	------------

Standard Colors White (CWH) DoloMatte available in matte white only.

Biscuit (CBS) Not available for DoloMatte.

Quick Ship reduces lead time (QSPRI) \$430

Please call for availability

Textured Bottom (TXTBTM) Acrylic CXL® only \$105

DoloMatte® exceeds ANSI A137.1/A326.3 and AS HB198 slip tests.

Virtual Spout high-flow integrated tub filler (FPMJ) \$450

Grab Bars from \$330 (1 set of 2)

Grab bars are factory-installed to the left and right of the overflow. Go to Acrylic Tub Options on mtibaths.com_for details before ordering.

Color and finish selections vary.

Decorative Towel Bar

Chrome (CHTOWEL) \$545, Brushed Nickel (BNTOWEL) \$545

Accessories

Pillows from \$180

Teak Bath Mat (TKMAT3018) \$815

Custom sizes also available. Contact MTI for details and pricing.

Teak Tub Tray

Slatted (TK-TRAY1) \$500 Solid (TK-TRAY2) \$570

Floor-Mounted High-Flow Tub Filler

Contemporary

Chrome (FILLC) \$1,480

Brushed Nickel (FILLBN) \$1,710

Faucet Stand SculptureStone® Standard

Small 3-hole capacity

14¼" w x 21¾" h

Matte (STAND) \$725

22" w x 21¾" h

Matte (STANDL) \$855

Large 5-hole capacity

+\$430 gloss finish upcharge (SSGLOSSSNK)

New Yorker 6 MODEL 112 71.875" x 36" x 23.25"

Cable Driven

Turn the overflow knob clockwise to open the drain, then counterclockwise to close the drain.



Drain Finishes - PVC Drain Kit White/Bone/Biscuit (WOCDW) \$440 Chrome (WOCD) \$410 Brushed Nickel (WOCDBN) \$490 Polished Nickel (WOCDPN) \$540 Oil-Rubbed Bronze' (WOCDOR) \$550 Polished Brass (WOCDBR) \$690 Special Finishes* (WOCDSF) \$1,135

Lift & Turn

Simple lift & turn to open. Lift, turn & release to close.



Drain Finishes - PVC Drain Kit Chrome (WOC) **\$185** White (WOW) **\$245** Brushed Nickel (WOBN) **\$305**

MTI does not offer a brass body cable drain kit.

Toe Tap Push down on drain cover to open and close.



Round Overflow - PVC Drain Kit Chrome (WOTTC) \$380 Brushed Nickel (WOTTBN) \$385 Polished Nickel (WOTTPN) \$385 Special Finishes* (WOTTSF) \$1,145



Rectangular Overflow - PVC Drain Kit Chrome (WOTRC) \$470 Brushed Nickel (WOTRBN) \$430 White (WOTRW) \$525



Round Overflow - Solid Brass Drain Chrome (WOTTSBC) **\$810** Brushed Nickel (WOTTSBBN) **\$810** Polished Nickel (WOTTSBPN) **\$810**

Rectangular Overflow kit must be specified when the tub is ordered.

Slim-Line Overflow with Toe Tap Drain

Sleek low profile overflow is factory-installed $\, \cdot \,$ Overflow measures 4.5" x 1" Provides a deeper soak $\, \cdot \,$ Not available for commercial applications



Must be specified when the tub is ordered.

Available for select Designer Collection tubs only.

* Allow 2-4 weeks lead time for Special Finishes. Send sample for best match.

'Oil Rubbed Bronze finishes vary among manufacturers.
MTI has selected a finish that is compatible with many available.
To ensure best match, order as a Special Finish and submit a sample.

Slim-Line Overflow with Toe-Tap PVC Drain

Chrome (SLOTC) **\$500**Brushed Nickel (SLOTBN) **\$530**Polished Nickel (SLOTPN) **\$555**White (SLOTW) **\$430**



Slim-Line Overflow with Toe-Tap Solid Brass Drain

Chrome (SLOTSBC) **\$930**Brushed Nickel (SLOTSBBN) **\$935**Polished Nickel (SLOTSBPN) **\$935**White (SLOTSBW) **\$965**

See individual tub specification sheets for availability.

NOTE:

MTI does not warrant drain kits or finishes, though drain kits may carry a direct factory warranty from the manufacturer. Proper drain installation is the responsibility of the installer. MTI's tub warranty does not cover drain leakage.